



. . . c o n n e c t i n g   y o u r   b u s i n e s s

## AirLancer Extender I-360-3G

Indoor omni-directional antenna for the LANCOM 1751 UMTS


- Omni-directional indoor antenna for Edge, GPRS, HSPA, UMTS
- Up to 5-dBi antenna gain
- Mounts easily with its powerful magnetic base
- Includes 2m cable and SMA connector

The AirLancer Extender is an omni-directional multi-band antenna for improved signal reception which, depending on the operating frequency, offers antenna gains of up to 5 dBi. This greatly improves the reception of devices integrated into steel racks, for example. Practical: The powerful magnetic base means that there's no need to drill any holes to mount the antenna – removing the antenna again leaves no marks thanks to the protective rubber cover. All of this makes the antenna ideal for operation in temporary locations.

# AirLancer Extender I-360-3G


Technical data	
Frequency range	872-960 & 1710-2170 MHz
Bands supported	GSM900, GSM1800, PCS1900 & 3G UMTS
Impedance	50 Ohm
Polarization	Vertical
Gain (Reference: Isotropic omni-directional antenna)	5 dBi (1710-1990 MHz & 1900-2170 MHz) & 2 dBi (872-960MHz)
Horizontal beam angle	360°
Vertical beam angle	Variable, see diagram of radiation characteristics
Mechanical specifications	
Height overall	18 cm
Base height	3,8 cm
Diameter	7 cm
Material	Plastic
Color	Black
Operating temperature	-40 to +80°C
Mounting	Magnetic base
Package content	
Cable	2m low-loss cable
Cable connection	SMA connector
Item	
Warranty	2 years
Item number	60916
Suitable accessories	
LANCOM 1751 UMTS	VPN router with integrated ADSL2+ and UMTS modem

## Diagram of radiation characteristics:



\* All measurement use a groundplane

# AirLancer Extender I-360-3G



LANCOM, LANCOM Systems and LCOS are registered trademarks. All other names or descriptions used may be trademarks or registered trademarks of their owners. Subject to change without notice. No liability for technical errors and/or omissions.  
10\_09